

| ^ Physical Parameters     |                                  |                                        |                                                      |
|---------------------------|----------------------------------|----------------------------------------|------------------------------------------------------|
| LED Type                  | Pixel Pitch                      | Screen Size (Inches)                   | Screen Resolution (W x H)                            |
| Micro                     | 0.03 in / 0.78 mm                | 136"                                   |                                                      |
|                           |                                  |                                        | 3,840 x 2,160 (UHD)                                  |
| Module Resolution (W x H) | Module Dimensions (W x H)        | No. of Modules per Screen (W x H)      | Screen Dimensions (W x H x D)                        |
| 384 x 144                 | 11.81 x 4.42 in / 300 x 112.5 mm | 10 x 15 (Total 150)                    | 118.30 x 66.63 x 1.55 in / 3,005 x 1,692.5 x 39.4 mm |
| Screen Surface Area       | Weight                           | Physical Pixel Density                 | Flatness of Cabinet                                  |
| 54.46 ft² / 5.06 m²       | 334.00 lbs / 151.5 kg            | 1,638,400 pixels/m²                    | ±0.2 mm                                              |
| Cabinet Material          | Service Access                   |                                        |                                                      |
| Aluminum                  | Front                            |                                        |                                                      |
| ^ Electrical              |                                  |                                        |                                                      |
| Power Consumption (Max.)  | Heat Dissipation (Max.)          | Power Supply                           | Refresh Rate                                         |
|                           | 5,118 BTU                        | 100-240V                               | 3,840 Hz                                             |
| 1,500W                    |                                  |                                        |                                                      |
| Heat Dissipation (Avg.)   | Power Consumption (Avg.)         | Power Consumption per Unit Area (Max.) | Heat Dissipation per Unit Area (Max.)                |
| 3,071 BTU                 |                                  |                                        |                                                      |
|                           | 900 nits                         | 296 nits                               | 1,011 BTU/h/m²                                       |
| ^ Connectivity            |                                  |                                        |                                                      |
| HDMI In                   | DisplayPort In                   | RS-232C In (3.5 mm 4-pin)              | RJ45 (LAN)                                           |
| Yes (x3) HDCP 2.2         | Yes (x1)                         |                                        | Yes (x1)                                             |
|                           |                                  | Yes (x1)                               |                                                      |
| Optical Digital Audio Out | Built-in Wi-Fi                   |                                        |                                                      |
| Yes (x1)                  | Yes                              |                                        |                                                      |
| ^ Controller              |                                  |                                        |                                                      |
| Controller                |                                  |                                        |                                                      |
| Embedded webOS 8.0        |                                  |                                        |                                                      |
|                           |                                  |                                        |                                                      |

| ^ Optical                                                                |                                  |                           |                              |
|--------------------------------------------------------------------------|----------------------------------|---------------------------|------------------------------|
| Max. Brightness (After Calibration)                                      | Color Temperature                | Viewing Angle (H x V)     | Brightness Uniformity        |
|                                                                          | 3,200-9,300K                     | 160° x 160°               | 95%                          |
| Up to 1,600 nits                                                         |                                  |                           |                              |
| Color Uniformity                                                         | Contrast Ratio                   | Processing Depth          | Lifetime                     |
| ±0.015 Cx, Cy                                                            | 40,000:1                         | 20 bit (HDR10, HDR10 Pro) | 150,000 Hrs                  |
| ^ Audio/Sound                                                            |                                  |                           |                              |
| Built-in Speakers                                                        |                                  |                           |                              |
| Yes (x2) 10W                                                             |                                  |                           |                              |
| ^ Features                                                               |                                  |                           |                              |
| Magic Remote Compatibility                                               | Crestron Certified Compatibility |                           |                              |
|                                                                          |                                  |                           |                              |
| Yes                                                                      | Yes                              |                           |                              |
| ^ Regulatory & Certifications                                            |                                  |                           |                              |
| IP Rating (Rear)                                                         | RoHS (Environmental)             | IP Rating (Front)         | FCC (Regulatory)             |
| IP20                                                                     | Yes                              | IP50                      | EMC Class B                  |
| BS476 Part7 (UK Fire Rating)                                             | Safety 60950-1                   | TAA Compliance            |                              |
|                                                                          | Yes                              | No                        |                              |
| Yes                                                                      |                                  |                           |                              |
| ^ Warranty & Other                                                       |                                  |                           |                              |
| Warranty                                                                 | Assembled In                     | UPC                       | Basic Accessories (included) |
| 3 Year Limited                                                           | Korea                            | 195174149508              |                              |
| IR Remote(In-box),<br>Magic Remote (In-box),<br>Side by Side : Yes (1xN) |                                  |                           |                              |
| ^ Environmental Conditions                                               |                                  |                           |                              |
| Operation Temperature                                                    | Operation Humidity               |                           |                              |
|                                                                          |                                  |                           |                              |

